

- Acid hydrolysis, microwave-assisted, of protein, LC MALDI MS/MS with, 471
- Acidic phospholipids, unsaturated, negative ESI-MS structural characterization of, 46
- Acidity  
  gas phase, of methylthioacetic acid, determining with Cooks' kinetic method, 535  
  and organic molecule responsiveness to negative ion ESI MS, 446
- Acylium ions, iso(thio)cyanate interactions with, 1602
- Adenine, protonated, tautomers, solvated clusters, and dissociation mechanisms of, 1713
- Adenosine 5'-monophosphate, multiply charged negative clusters of, in gas phase, 1840
- Air, volatile organic compounds in, PIT-MS detection and identification of, 1316
- Algorithms, for peptide mass fingerprint measurement, 13
- Alkali metal complexes, of polyether ionophore antibiotics, gas phase stabilities of, by CID, 779
- AMBER\*, in ion mobility spectroscopy of charge-solvated vs salt bridge structures of protonated trimers, 1009
- Amino acids, protonated, hydrogen/deuterium exchange of, in gas phase, 1846
- Aminophenylboronic acid, immobilization on magnetic beads, by MALDI, 1456
- Amoxicillin degradation products, ion trap MS confirmation of, ESI-TOF mass determination in, 1670
- Analyte  
  characteristics of, and organic molecule responsiveness to negative ion ESI MS, 446  
  concentration of, effect on peptide ion internal energies produced by ESI and AP-MALDI, 743
- Androstadienolones, MS of, 1660
- Androstanolones, MS of, 1660
- Anionic adducts  
  APCI-MS identification of, 1377  
  of carbohydrates, 622
- Anionic nucleophiles, fluorotrimethylsilane affinities of, 697
- Antibiotics, polyether ionophore, gas phase stabilities of, by CID, 779
- Aqueous sample derivatizing agents, comparing highly fluorinated chloroformates as, 803
- Arginine, chiral resolution of, by ESI-ion trap MS/MS, 825
- Aspartic acid peptides, of fixed charge derivative, hydrogen/deuterium exchange of, 1067
- Atmospheric pressure chemical ionization (APCI) mass spectrometry, in anionic adduct identification, 1377
- Atmospheric pressure interfaces, in LC-MS/MS, in residue determination of compounds, 1619
- Atmospheric pressure ion mobility (APIM), in separation of so-diated isobaric saccharides, 660
- Atmospheric pressure (AP) liquid chromatography (LC) mass spectrometry, GC/MS ion source combined with, advantages of, 1730
- Atmospheric pressure (AP) matrix-assisted laser desorption/ionization (MALDI)  
  ionization mechanism, analyte concentrations, and ion cool time effects on peptide ion internal energies produced by, 743  
  on QqLIT instrument, 176
- Atmospheric pressure (AP) matrix-assisted laser desorption/ionization (MALDI) Fourier transform (FT) mass spectrometry, of normal and chemically modified RNA, 199
- Atmospheric pressure photoionization (APPI), dopant-assisted, effects of solvent flow, dopant flow, and lamp current on, 1275
- Atmospheric pressure photoionization (APPI) mass spectrometry, ionization efficiency in, solvent flow rate and, 1399
- Atomic ionization, volumetric intensity dependence on, in laser focus, 82
- Automated nanospray, chip-based emitters in, in pharmaceutical compound quantitative analysis, 363, 798 (erratum)
- Automatic gain control, in MS, using jet disrupter electrode, 244
- b* ions  
  cyclic oxazolone structure of, 1941  
  in ECD, 1932
- Bacterial analysis, by MALDI-TOF MS, inter-laboratory comparison of, 456
- Bacterial cell proteins, surfactant-treated, MALDI-MS of, 1422
- Bench marking survey, on supporting chemical synthesis and structural elucidation in pharmaceutical industry, 599
- Bioaerosol mass spectrometry (BAMS), TOF, sensitivity and mass range of, 1866
- Biological molecules, gaseous Fe(III)-heme cation binding to, 589
- Biological samples, solvent-free MALDI-MS of, via mini-ball mill approach, 542
- Biophysics, MS in, 2064
- Bismuth cluster ion source, to improve biological TOF-secondary ion MS imaging, 1608
- Blackbody infrared radiative dissociation (BIRD), of nonspecific protein-carbohydrate complexes produced by nanoESI, 1583
- Bond cleavage reactions, competing, entropy of activation for, 2039
- Book reviews  
  *Identification of Essential Oil Components by Gas Chromatography/Quadrupole Mass Spectrometry*, 1902  
  *Isotope Tracers in Metabolic Research: Principles and Practice of Kinetic Analysis*, 2nd Edition, 977  
  *Mass Spectrometry: A Textbook*, 793  
  *Mass Spectrometry in Biophysics: Conformation and Dynamics of Biomolecules*, 2064  
  *Understanding Mass Spectra: A Basic Approach*, 792
- Boron derivatization, gas phase, in phosphopeptide fragmentation pattern manipulation, 1905
- Bowers, Michael T. Personal retrospective, 983
- Bradykinin fragment 1-5 ions, in gas phase, IM-MS of, 893
- Brain  
  phosphatidylcholines in, MALDI-MS/MS of, 2052  
  phospholipids in, MALDI-TOF and MALDI-IM-TOF MS of, 133  
  protein expression in, MALDI-MS of, 1093

- Cadmium, isotopically enriched, isotope dilution ICP-MS applied to, 708
- Calibration experiments, of trilinolenoylglycerol, chemometric approaches by LC-ion trap MA, 388, 801(erratum)
- Calmodulin, methionine oxidation in, quantification of, 1470
- Calmodulin-melittin complex interface, hydroxyl radical probe of, by ESI MS, 225
- Capillary interface, in leveling response factors in ESI, 772
- Carbanions, gaseous, hydrogen/chlorine exchange reactions of, 2045
- Carbohydrates  
fragmentation of negative ions from  
  high mannose *N*-linked glycans in, 631  
  hybrid and complex *N*-linked glycans in, 645  
  nitrate and other anionic adducts in, 622  
  ionization and fragmentation in MS, labeling group and, 683  
LC-MS quantitative analysis of, 1805
- Carbon ions, energetic, silver surface bombardment by, 1677
- Carbon nanotubes  
  as adsorbent of solid phase extraction, in MALDI MS, 263  
  immobilized, for MALDI-TOF MS, 333  
  oxidized, for MALDI-TOF MS analysis, 883
- Carbon thin films, fluorinated amorphous, elemental distribution in, FIB-SIMS of, 126
- Cardiolipin, tandem quadrupole ion trap MS of, 491
- Cations, binary mixtures of, multiple charging of polypropylene glycol by, in electrospray, 152
- CFCs substitutes recommended by EPA, ion chemistry in air plasma and reactions with atmospheric ions, 1081
- Charge derivatization, methionine-containing peptide analysis by, 1131
- Charge state distribution shifts, of protein, in nanoESI triple quadrupole MS, 409
- CHARMm, in ion mobility spectroscopy of charge-solvated vs salt bridge structures of protonated trimers, 1009
- Chip-based emitters, automated nanospray using, in pharmaceutical compound quantitative analysis, 363, 798 (erratum)
- Chiral resolution of arginine, by ESI-ion trap MS/MS, 825
- Chloroformates, highly fluorinated, comparison of, 803
- Cholesteryl polyethoxy neoglycolipids, synthetic amphiphilic, ESI MS/MS of, 565
- Chromatography efficiency, evaluation of, 1757
- Collision-activated dissociation (CAD)  
  of flavonoid transition metal complex threshold dissociation, 139  
  of oligonucleotide/metal complex fragmentation, 28
- Collision-induced dissociation (CID)  
  of fatty acids, fragment ions in, charge-associated mechanism in, 280  
  gas phase stabilities of polyether ionophore antibiotics by, 779  
  of guanosine H<sub>2</sub>O adducts, 1291  
  low energy, peptide radical dications via, 1795  
  of metal cationized peptide ions, fragmentation pathway for, 1305  
  in quantifying methionine oxidation in calmodulin, 1470
- Collision-induced ion ejection, in FTICR cell, 422
- Color bodies, on polymer surface, LC-MS/MS of, 295
- Compensation voltage peak shapes, using domed FAIMS, 948
- Conference reviews  
  ASMS Fall workshop on polymer MS 2004, 291  
  Mass Spectrometry PittConn 2005, 967
- Configuration assignment, absolute, of isomers, by MS, 431
- Cooks' kinetic method, in determining gas phase acidity of methylthioacetic acid, 535
- Crown ether complex self-assembly, ESI-MS detection of, 1162
- Current density profiler, electrospray, 312
- Cu(II) tripeptide complexes, tripeptide radical cation generation in, via intramolecular electron transfer, 763
- $\alpha$ -Cyano-4-hydroxycinnamic acid, peptide cocrystallization with, promotion within levitated droplets, 254
- Cyclodextrin complexes, gas phase, zwitterion formation in, 166
- Cyclo(Pro-Gly)<sub>3</sub> complexes, ESI-MS of, 1536
- Cylindrical geometry FAIMS, of differing electrode diameters, 349
- Cysteine reactivity, of estrogen receptor zinc fingers, 2017
- Cytochrome *c* ions, in gas phase, in Paul trap, 1493
- Deoxyguanosine clusters, G-quadruplexes in, ion mobility MS of, 989
- Diazoxon, fragmentation and reactions of, 515
- 3,4-Dihydro-2,4-dioxo-2H-1,3,5-oxadiazinium ions, synthesis in gas phase, 1602
- Diode array detection (DAD), of *Ophiopogon japonicus* homoisoflavonoids, 234
- Disaccharides, sodiated isobaric, separation using ESI-APIM-TOF MS, 660
- Disulfide-linked peptides, SO<sub>2</sub><sup>•</sup> electron transfer ion/ion reactions with, 1020
- DNA-protein binding affinity, evaluation by ESI-MS, 116
- Dopant-assisted atmospheric pressure photoionization, effects of solvent flow, dopant flow, and lamp current on, 1275
- Droplets, levitated,  $\alpha$ -cyano-4-hydroxycinnamic acid cocrystallization with peptides in, 254
- Editorials, 1, 983, 1205, 1727
- Electrode diameters, in cylindrical geometry FAIMS, 349
- Electrodynamic ion funnel, jet disrupter electrode in, automatic gain control in MS using, 244
- Electron capture dissociation (ECD)  
  *b* ions in, 1932  
  efficiency in FTICR-MS, 1060  
  of ganglioside GM1, 752  
  general mechanism of, 208  
  of *N*-acylated glucagon-like peptide-1 derivative, 548  
  of peptides, amino acid side chain loss in, 1523  
  of polypeptides, in three-dimensional quadrupole ion trap, 22
- Electron capture dissociation (ECD) sustained off resonance irradiation (SORI) collision-induced dissociation (CID), of lactacin 481, 1595
- Electron detachment dissociation (EDD), of ganglioside GM1, 752
- Electron transfer dissociation (ETD), of peptide anions, 880
- Electrospray ionization (ESI)  
  as current density profiler, 312  
  ionization mechanism, analyte concentrations, and ion cool time effects on peptide ion internal energies produced by, 743  
  leveling response factors in, 772  
  multiple charging of polypropylene glycol by binary mixtures of cations in, 152  
  pulsed dual, for ion/ion reactions, 1750
- Electrospray ionization (ESI) atmospheric pressure ion mobility (APIM) time-of-flight (TOF) mass spectrometry, in separation of sodiated isobaric saccharides, 660
- Electrospray ionization (ESI) Fourier transform ion cyclotron resonance (FTICR) mass spectrometry  
  in chemical cross-linking of protein complexes, 1921  
  negative ion, glycosphingolipid mixtures screening and sequencing by, 571
- Electrospray ionization (ESI) Fourier transform (FT) mass spectrometry, of silsesquioxane low molecular weight components, 524
- Electrospray ionization (ESI) ion trap mass spectrometry  
  in crown ether complex self-assembly detection, 1162  
  of diazoxon fragmentation and reactions, 515

- Electrospray ionization (ESI) ion trap tandem mass (MS/MS) spectrometry, chiral resolution of arginine by, 825
- Electrospray ionization (ESI) mass spectrometry  
of affinity constants and response factors of gramicidin noncovalent dimer, 1031  
calmodulin-melittin complex interface probe by, 225  
charge reduction, of intact proteins, 1876  
of cyclo(Pro-Gly)<sub>3</sub> complexes, 1536  
of derivatized oligosaccharides, 683  
hydrogen/deuterium exchange, *t*-Boc group elucidation using, 553  
*Mycobacterium* lipoarabinomannans characterized by, 1109  
negative  
organic molecule responsiveness to, acidity and polarity in, 446  
unsaturated acidic phospholipids structural characterization by, 46  
of noncovalent myosin VI complexes, 1367  
of *Ophiopogon japonicus* homoisoflavonoids, 234  
protein-DNA binding affinity evaluated by, 116  
quadrupole ion trap MS with, of cardiolipin, 491  
sialic acid synthase characterization by, 324  
of triacylglycerols, 1498  
of 20S proteasome, 998
- Electrospray ionization quadrupole time-of-flight (ESI-Q-TOF) mass spectrometry, in quantifying methionine oxidation in calmodulin, 1470
- Electrospray ionization (ESI) tandem mass spectrometry (MS/MS)  
in ion trap MS confirmation of amoxicillin degradation products, 1670  
of *meso*-tetrakis(heptafluoropropyl)prophyrin, 1915  
of oligoribonucleotide gas phase dissociation, 1262  
for peptide fragmentation, 505  
of phosphatidylserine, 1510  
of synthetic neoglycolipids, 565  
triiodothyronine detection and quantification by, 1781
- Electrospray mass spectrometry (EMS)  
of ligands with retinoid X receptor  $\alpha$  ligand binding domain, 1631  
negative mode, oligosaccharide analysis in, 60
- Electrospray spectra, negative ion, production from carbohydrates  
high mannose *N*-linked glycans in, 631  
hybrid and complex *N*-linked glycans in, 645  
nitrate and other anionic adducts in, 622
- Elemental distribution, in fluorinated amorphous carbon thin films, FIB-SIMS of, 126
- Enzyme-catalyzed reactions, microwave-assisted, in solvent systems, 581
- Errata, 797, 798, 799, 800, 801, 802
- Essential oil components, GC-quadrupole MS identification of, 1902
- Esterification, and peptide ion detection by MALDI-MS, 1269
- Estrogen, ultrafiltration MS/MS of, 271
- Estrogen receptor, zinc fingers of, cysteine reactivity in, 2017
- Fatty acids, CID spectra of, fragment ions in, charge-associated mechanism in, 280
- Fe(III)-heme cation, gaseous, binding to biological molecules, 589
- Field asymmetric waveform ion mobility spectrometry (FAIMS) analyzers for  
design and operation of, 2  
domed, compensation voltage peak shapes using, 948  
for gas flow profile and asymmetric waveforms, 1447
- Field strength, of tryptic peptides, in separation by IM MS, 158
- Flavonoid, transition metal complexes of, threshold dissociation and molecular modeling of, 139
- Fluorescence resonance energy transfer (FRET), in gas phase ions, 1481
- Fluorinated chloroformates, comparison of, 803
- Fluorotrimethylsilane, anionic nucleophile affinities of, 697
- Focused ion beam (FIB) secondary ion mass spectrometry (SIMS), of elemental distribution in fluorinated amorphous carbon thin films, 126
- Fourier transform ion cyclotron resonance (FTICR), in simulation of organic environment on Saturn's moon (Titan), 850
- Fourier transform ion cyclotron resonance (FTICR) cell, collision-induced ion ejection in, 422
- Fourier transform ion cyclotron resonance (FTICR) mass spectrometry  
ECD efficiency in, 1060  
in validation of exact mass measurements, 1100
- Fourier transform ion cyclotron resonance (FTICR) tandem mass spectrometry (MS/MS), in identifying class I HLA-H\*0201 peptide from vaccinia virus, 1812
- Fourier transform (FT) mass spectrometry, top-down, in kinetic characterization of multiple protein forms, 1052
- Fragmentation  
of derivatized glutamine, 1192  
efficiency in linear ion trap, 1342  
initial, of oligodeoxynucleotides in quadrupole ion trap, 1853  
of ions, charge-associated mechanism of, in fatty acid CID spectra, 280  
of negative ions from carbohydrates  
high mannose *N*-linked glycans in, 631  
hybrid and complex *N*-linked glycans in, 645  
nitrate and other anionic adducts in, 622  
of oligonucleotide/metal complexes, CAD of, 28  
of peptide ions, vacuum ultraviolet light-induced pathways in, 1384  
of phosphopeptides, manipulation of, gas phase boron derivatization in, 1905  
of propofol and structurally related phenols, 814
- Fullerenes, methylated, MS of, using in-beam electron impact technique, 1311
- Gallium ions, energetic, silver surface bombardment by, 1677
- Ganglioside, analysis by TLC-MALDI-o TOF-MS, 1552
- Ganglioside GM1, IRMPD, ECD, and EDD of, 752
- Gas chromatography (GC) mass spectrometry, AP LC/MS ion source combined with, advantages of, 1730
- Gas chromatography (GC) quadrupole mass spectrometry, identifying essential oil components by, 1902
- Gas flow profile, FAIMS for, 1447
- Gas phase  
boron derivatization in, in phosphopeptide fragmentation pattern manipulation, 1905  
bradykinin fragment 1–5 ions in, IM-MS of, 893  
cluster ions in, thermochemical stabilities and structures of, 1760  
 $\alpha$ -cyanoethylindole isomeric differentiation in, 388, 801 (erratum)  
cyclodextrin complexes in, zwitterion formation in, 166  
cytochrome *c* ions in, in Paul trap, 1493  
3,4-dihydro-2,4-dioxo-2H-1,3,5-oxadiazinium ion synthesis in, 1602  
guanosine H<sub>2</sub>O adduct formation in, CID study of, 1291  
hydrogen/deuterium exchange of protonated amino acids in, 1846  
ionic and neutral [HS-P-OH]<sup>+/•</sup> and S=P(OH)<sub>2</sub><sup>+/•</sup> generation and characterization in, 1353

- ions in, FRET in, 1481  
multiply charged negative clusters of adenosine 5'-monophosphate in, 1840  
phospholipid headgroup activities in, 926  
of polyether ionophore antibiotics, stabilities by CID, 779  
retro-*Michael* fragmentation reactions in, of 2-hydroxybenzyl-*N*-pyrimidinylamine derivatives, 1552  
Shiga toxin B subunit stability in, nanoESI-FTICR MS of, 1957  
ubiquitin conformers in, multidimensional separations of, 1427  
ureas and thioureas in, cyclization of substituted *N* in, 1739  
Gas phase acidity, of methylthioacetic acid, determining with Cooks' kinetic method, 535  
Gas phase dissociation, of oligoribonucleotides, ESI-MS/MS of, 1262  
Gaseous carbanions, hydrogen/chlorine exchange reactions of, 2045  
Gaseous Fe(III)-heme cation, binding to biological molecules, 589  
Gate valve design, minimum thickness, for MS, 441  
Glucagon-like peptide-1 derivative, *N*-acylated, ECD of, 548  
Glutamine, derivatized, fragmentation of, 1192  
Glycans  
  high mannose *N*-linked, fragmentation from carbohydrates, 631  
  hybrid and complex *N*-linked, fragmentation from carbohydrates, 645  
Glycoproteins, sulfated glycosylation sites in, detection of, 340  
Glycosphingolipid mixtures, complex, screening and sequencing by negative ion ESI-FTICR MS, 571  
G-quadruplexes, in deoxyguanosine clusters, ion mobility MS of, 989  
Gramicidin, noncovalent dimer of, affinity constants and response factors of, ESI-MS and mathematical modeling of, 1031  
Gross, Michael L., 1727  
Guanosine, H<sub>2</sub>O adducts of, CID study of, 1291  
  
Hadamard transform (HT) time-of-flight (TOF) mass spectrometry  
  peak height precision in, 1117  
  two-channel, duty cycle and modulation efficiency of, 1888  
Heart tissue, MudPIT of, 1207  
High field asymmetric waveform ion mobility spectrometry (FAIMS), cylindrical geometry prototypes for, of differing electrode diameters, 349  
High performance liquid chromatography (HPLC), reversed-phase, ion trap MS with, as monoclonal antibody trap, 307, 797(erratum)  
High performance liquid chromatography (HPLC) diode array detection (DAD), of *Ophiopogon japonicus* homoisoflavonoids, 234  
High performance liquid chromatography (HPLC) electrospray ionization (ESI) mass spectrometry, hydrogen/deuterium exchange, *t*-Boc group elucidation using, 553  
High pressure segmented quadrupole collision cell (HP-SQCC), as ion molecule reactor, 957  
Histone H4 acetylated isoforms, from lymphosarcoma, peptide mass mapping of, 1641  
H<sub>2</sub>O adducts, of guanosine, CID study of, 1291  
Homoisoflavonoids, HPLC-DAD-ESI MS analysis of, 234  
[HS-P-OH]<sup>+/·</sup> ionic and neutral, generation and characterization in gas phase, 1353  
Human leukocyte antigen A\*0201 class I, from vaccinia virus, identification by mass FTICR MS/MS, 1812  
Hydrocarbon mass spectrometry, in situ silver cationization for, 437  
Hydrocarbon plaques, MALDI-FTICR and reflectron TOF MS of, 2009  
Hydrofluorocarbon-245fa, EPA recommendation of, ion chemistry in air plasma and reactions with atmospheric ions, 1081  
Hydrofluoroether-7100, EPA recommendation of, ion chemistry in air plasma and reactions with atmospheric ions, 1081  
Hydrogen exchange mass spectrometry study, of diphosphorylated ITAM binding to spleen tyrosine kinase, conformational dynamics in, 1039  
Hydrogen peroxide, laser flash photolysis of, for microsecond photochemical oxidation of proteins, 2057  
Hydrogen/chlorine exchange, of gaseous carbanions, 2045  
Hydrogen/deuterium exchange  
  of fixed charge derivative aspartic acid peptides, 1067  
  MS/MS with, in sulfadiazine metabolite structural characterization, 1687  
  in multidimensional separations of ubiquitin conformers in gas phase, 1427  
  of protonated amino acids, in gas phase, 1846  
Hydrogen/deuterium exchange high performance liquid chromatography (HPLC) electrospray ionization (ESI) mass spectrometry, *t*-Boc group elucidation using, 553  
Hydrogen/deuterium exchange mass spectrometry, of protein-ligand binding, 869  
2-Hydroxybenzyl-*N*-pyrimidinylamine derivatives, gas phase retro-*Michael* fragmentation reactions of, 1552  
Hydroxyl radical probe, of calmodulin-melittin complex interface, 225  
  
Immunoreceptor tyrosine-based activation motif (ITAM), diphosphorylated, spleen tyrosine kinase conformational dynamics on binding to, 1039  
In-beam electron impact technique, in MS of methylated fullerenes, 1311  
Infrared multiphoton dissociation (IRMPD), of ganglioside GM1, 752  
Intramolecular electron transfer, in generation of tripeptide radical cations, 763  
Ion(s), thermochemical stabilities and structures of, in gas phase, 1760  
Ion cool times, effect on peptide ion internal energies produced by ESI and AP-MALDI, 743  
Ion ejection, collision induced, in FTICR cell, 422  
Ion excitation, in linear quadrupole ion trap, 835  
Ion fragmentation, charge-associated mechanism of, in fatty acid CID spectra, 280  
Ion funnels, for masses, 1708  
Ion mobility (IM) mass spectrometry  
  in brain tissue phospholipid analysis, 133  
  of charge-solvated vs salt bridge structures of protonated trimers, 1009  
  field strength of tryptic peptides by, 158  
  of gas phase bradykinin fragment 1–5 ions, 893  
  of G-quadruplexes in deoxyguanosine clusters, 989  
  in metallothionein investigations, 1787  
  of 20S proteasome, 998  
Ion molecule reactor, HP-SQCC as, 957  
Ion optics, in minimum thickness gate valve design, for MS, 441  
Ion pairing, isobaric monosaccharides distinguished by, 1827  
Ion structural analogs, formation by solution phase chemistry, 607  
Ion trap  
  hybrid linear, mutual storage mode ion/ion reactions in, 71  
  linear  
    for ESI-MS of triacylglycerols, 1498  
    fragmentation efficiency in, 1342  
  quadrupole. *See* Quadrupole ion trap

- Ion trap mass spectrometry  
 in confirmation of amoxicillin degradation products, ESI-TOF mass determination in, 1670  
 reversed-phase HPLC with, as monoclonal antibody trap, 307, 797(erratum)  
 in simulation of organic environment on Saturn's moon (Titan), 850  
 ZoomQuant software with,  $^{18}\text{O}$  labeling on, quantification using, 916
- Ionic liquid matrix  
 metastable decay of peptides and oligonucleotides and stabilization of phospholipids induced by, 2000  
 for phospholipid analysis by MALDI-TOF MS, 679
- Ion/ion proton transfer reactions, mutual storage mode, in hybrid linear ion trap, 71
- Ion/ion reactions, pulsed dual ESI for, 1750
- Ionization mechanism, effect on peptide ion internal energies produced by ESI and AP-MALDI, 743
- Isobaric monosaccharides, distinguishing by ion pairing and MS/MS, 1827
- Iso(thio)cyanates, acylium ions interaction with, 1602
- Isomers, absolute configuration assignment of, by MS, 431
- Isotope, stable, analyzing labeling data in proteomics, 1181
- Isotope dilution single detector inductively coupled plasma magnetic sector MS (ID-ICD-SMS), applied to isotopically enriched cadmium, 708
- Isotope label quantitation, ZoomQuant for, 302
- Jet disrupter electrode, automatic gain control in MS using, 244
- Lactacin 481, ECD-SORI-CID study of, 1595
- Laser beam, features smaller than, MALDI-MS of, 1654
- Laser desorption/ionization (LDI) time-of-flight (TOF) mass spectrometry, probing biotic/abiotic boundary of plants with, 107
- Laser flash photolysis, of hydrogen peroxide, for microsecond photochemical oxidation of proteins, 2057
- Laser focus, volumetric intensity dependence within, 82
- Laser spray, denaturation of lysozyme and myoglobin in, 860
- Lipoarabinomannans, from *Mycobacterium*, ESI-MS characterization of, 1109
- Liquid chromatography (LC), elution time of, in complex proteome analysis, 1239
- Liquid chromatography (LC) ion trap mass spectrometry, in calibration experiments of trilinolenoylglycerol, 388, 801 (erratum)
- Liquid chromatography (LC) mass spectrometry  
 carbohydrate quantitative analysis by, 1805  
 of polypeptide fragments, 38  
 stable gradient nanoflow, on QqTOF instrument, 1545
- Liquid chromatography (LC) matrix-assisted laser desorption/ionization (MALDI) tandem mass spectrometry (MS/MS), microwave-assisted acid hydrolysis of protein with, 471
- Liquid chromatography (LC) tandem mass spectrometry (MS/MS)  
 mercapturic acid detection by, 1976  
 for peptide fragmentation, 505  
 of polymer surface color bodies, 295  
 in residue determination of compounds, 1619
- Lung tumor, in low molecular weight serum proteome quantitative analysis, 1221
- Lymphosarcoma, acetylated histone H4 isoforms from, peptide mass mapping of, 1641
- Lysozyme, denaturation of, in laser spray, 860
- Mass accuracy, improved, for MS/MS, 463
- Mass measurement  
 exact, FTICR-MS validation of, 1100  
 for target compound verification by quadrupole TOF MS, 406
- Mass spectrometry  
 in absolute configuration assignment of isomers, 431  
 automatic gain control in, using electrode, 244  
 hydrocarbon, in situ silver cationization for, 437  
 interference in, in polypropylene tubes, 417, 802(erratum)  
 of methylated fullerenes, in-beam electron impact technique in, 1311  
 minimum thickness gate valve design for, 441  
 of polymers, 2004 ASMS Fall workshop on, review of, 291
- Mass uncertainty, in complex MS/MS spectra, 183
- Matrix amount, dependence on, in MALDI-FTMS, 1772
- Matrix effect, evaluation of, 1757
- Matrix solubility, MESIMS of, 1172
- Matrix-assisted laser desorption/ionization (MALDI) Fourier transform ion cyclotron resonance (FTICR) mass spectrometry  
 of hydrocarbon polymers, 2009  
 of ionic liquid matrix-induced stabilization of phospholipids and metastable decay of peptides and oligonucleotides, 2000
- Matrix-assisted laser desorption/ionization (MALDI) Fourier transform (FT) mass spectrometry, matrix amount in, dependence on, 1772
- Matrix-assisted laser desorption/ionization (MALDI) mass spectrometry  
 aminophenylboronic acid immobilization on magnetic beads by, 1456  
 AP and vacuum, on QqLIT instrument, 176  
 carbon nanotubes as adsorbent of solid phase extraction in, 263  
 of derivatized oligosaccharides, 683  
 extending solvent-free sample preparation method in, 91  
 of features smaller than laser beam, 1654  
 peptide ion detection by, esterification and, 1269  
 of proteins in brain structures, 1093  
 sample preparation for, sodium dodecyl sulfate micelles in, 1438  
 solvent-free, of biological samples via mini-ball mill approach, 542  
 of surfactant-treated bacterial cell proteins, 1422
- Matrix-assisted laser desorption/ionization (MALDI) tandem mass spectrometry (MS/MS)  
 of intact protein, 482  
 microwave-assisted acid hydrolysis of proteins with, 471  
 of phosphatidylcholines in brain, 2052
- Matrix-assisted laser desorption/ionization (MALDI) time-of-flight (TOF) mass spectrometry  
 automated, of polyethylene glycol, 670  
 bacterial analysis by, inter-laboratory comparison of, 456  
 in brain tissue phospholipid analysis, 133  
 in chemical cross-linking of protein complexes, 1921  
 of  $\alpha$ -cyano-4-hydroxycinnamic acid cocrystallization with peptides in levitated droplets, 254  
 immobilized carbon nanotubes for, 333  
 of intact proteins, 482  
 oxidized carbon nanotubes for analysis by, 883  
 phospholipid analysis by, ionic-liquid matrices for, 679  
 polymer quantitation using, 100  
 of salt-containing proteins, porous anodic alumina membrane as sample support for, 1488  
 of urinary nucleosides, 940
- Matrix-enhanced secondary ion mass spectrometry (MESIMS), to analyze polymer MALDI matrix solubility, 1172

- Mercapturic acids, LC-MS/MS detection of, 1976  
*meso*-tetrakis(heptafluoropropyl)prophyrin, ESI-MS/MS of, 1915  
Metal cationized peptides, ions from, CID fragmentation pathway for, 1305  
Metal complexes  
  of flavonoids, transition, threshold dissociation and molecular modeling of, 139  
  Group 10, MS behavior of, 94  
Metallothionein, ion mobility and MS combined investigations of, 1787  
Metal-oligonucleotide complexes, MS/MS of, 370, 799 (erratum)  
Methionine, oxidation in calmodulin, quantification of, 1470  
Methionine-containing peptides, analysis by charge derivatization and MS/MS, 1131  
Methylthioacetic acid, determining gas phase acidity of, Cooks' kinetic method in, 535  
Microwave-assisted acid hydrolysis, of protein, LC MALDI MS/MS with, 471  
Microwave-assisted enzyme-catalyzed reactions, in solvent systems, 581  
Mini-ball mill approach, in solvent-free MALDI-MS of biological samples, 542  
MMFF, in ion mobility spectroscopy of charge-solvated vs salt bridge structures of protonated trimers, 1009  
Molecular ionization, volumetric intensity dependence on, in laser focus, 82  
Molecules, small, UTLC-AP-MALDI-MS of, 906  
Monoclonal antibodies, trap for, reversed-phase HPLC and ion trap MS in, 307, 797(erratum)  
Monosaccharides, isobaric, distinguishing by ion pairing and MS/MS, 1827  
MS2Grouper, as algorithm for proteomic MS/MS, 1250  
Multidimensional protein identification technology (MudPIT), of heart tissue, 1207  
Mutual storage mode, in hybrid linear ion trap, 71  
*Mycobacterium*, lipoarabinomannans from, ESI-MS characterization of, 1109  
Myoglobin, denaturation of, in laser spray, 860  
Myosin VI complexes, noncovalent, ESI-MS of, 1367
- Nanoelectrospray ionization  
  efficiency of, 1702  
  nonspecific protein-carbohydrate complexes produced by, BIRD of, 1583  
Nanoelectrospray ionization Fourier transform ion cyclotron resonance (FTICR) mass spectrometry  
  glycosphingolipid mixtures screening and sequencing by, 571  
  of Shiga toxin B subunit stability in solution and gas phase, 1957  
Nanoelectrospray triple quadrupole mass spectrometry, protein charge state distribution shifts in, 409  
NanoMate, in pharmaceutical compound quantitative analysis, 363, 798(erratum)  
Nanospray, protein surface reactions produced by, 1325  
Nanotubes, oxidized carbon, for MALDI-TOF MS analysis, 883  
Neoglycolipids, synthetic, ESI MS/MS analysis of, 565  
Nickel complexes, MS behavior of, 94  
Nitrate adducts, of carbohydrates, 622  
Nucleophiles, anionic, fluorotrimethylsilane affinities of, 697  
Nucleosides, urinary, MALDI-TOF MS of, 940
- Obituaries  
  Sharon G. Lias, 979  
  Richard A. Schaeffer, 796  
Oligodeoxynucleotides, initial fragmentation in quadrupole ion trap, 1853  
Oligomer samples, solubility of, MESIMS of, 1172  
Oligonucleotide-metal complexes, fragmentation of, CAD of, 28  
Oligonucleotides, ionic liquid matrix-induced metastable decay of, 2000  
Oligoribonucleotides, gas phase dissociation of, ESI-MS/MS of, 1262  
Oligo(*p*-phenylethynylene)s, cationization mechanism of, 1695  
Oligosaccharides  
  analysis using negative mode ES-MS, 60  
  derivatized, ESI and MALDI MS of, 683  
*Ophiopogon japonicus*, homoisoflavonoids from, HPLC-DAD-ESI MS analysis of, 234  
Organic compounds, volatile, in air, PIT-MS detection and identification of, 1316  
Organic molecules, responsiveness to negative ion ESI MS, acidity and polarity in, 446  
Organometallic complexes, MS behavior of, 94  
 $\beta$ -Oxalylaminoalanine, proton affinity of, 1151  
Oxazolone structure, cyclic, of *b* ions, 1941  
<sup>18</sup>Oxygen labeling, on ion trap mass spectrometer with Zoom-Quant software, quantification using, 916
- Palladium complexes, MS behavior of, 94  
Paul trap, gas phase cytochrome *c* ions in, 1493  
Peak height precision, in HT-TOF MS, 1117  
Peptide(s)  
   $\alpha$ -cyano-4-hydroxycinnamic acid cocrystallization with, promotion within levitated droplets, 254  
  disulfide-linked, SO<sub>2</sub><sup>[bardo]</sup> electron transfer ion/ion reactions with, 1020  
  ECD of, amino acid side chain loss in, 1523  
  fragmentation of, ESI MS/MS for, 505  
  internal residue loss of, 607  
  ionic liquid matrix-induced metastable decay of, 2000  
  methionine-containing, analysis by charge derivatization and MS/MS, 1131  
  MS/MS identification of, increasing through automatic function switching optimization, 1818  
  tryptic, field strength in separation by IM MS, 158  
Peptide anions, ETD of, 880  
Peptide hits technique, guidelines for, 1231  
Peptide ions  
  MALDI-MS detection of, esterification and, 1269  
  metal cationized, CID fragmentation pathway for, 1305  
  vacuum ultraviolet light-induced fragmentation pathways of, 1384  
Peptide mass fingerprints, algorithm measurements of, 13  
Peptide mass mapping, of histone H4 acetylated isoforms from lymphosarcoma, 1641  
Peptide radical dications, generated via low energy CID, 1795  
Pharmaceutical compounds, quantitative analysis of, automated nanospray of, chip-based emitters in, 363, 798 (erratum)  
Pharmaceutical industry, chemical synthesis and structural elucidation in, bench marking survey in, 599  
Phenols, sterically hindered, MS fragmentation of, 814  
Phosphatidylcholines, in brain, MALDI-MS/MS of, 2052  
Phosphatidylserine, MS/MS of, ESI with, 1510  
Phospholipids  
  in brain tissue, MALDI-TOF and MALDI-IM-TOF MS of, 133  
  headgroups of, gas phase activities of, 926  
  ionic liquid matrix-induced stabilization of, 2000  
  MALDI-TOF MS of, ionic-liquid matrices for, 679  
  unsaturated acidic, negative ESI-MS structural characterization of, 46  
Phosphopeptides, fragmentation pattern manipulation in, gas phase boron derivatization in, 1905  
Plants, biotic/abiotic boundary of, probing with LDI-TOF MS, 107

- Platinum complexes, MS behavior of, 94
- Polarity, and organic molecule responsiveness to negative ion ESI MS, 446
- Polyelectrolytes, as matrices for secondary ion mass spectrometry, 1575
- Polyether ionophore antibiotics, alkali metal complexes of, gas phase stabilities of, by CID, 779
- Polyethylene glycol, automated MALDI-TOF MS of, 670
- Polymers
- color bodies on surface of, LC-MS/MS of, 295
  - MS of, 2004 ASMS Fall workshop on, review of, 291
  - quantitation by MALDI-TOF MS, 100
- Polypeptides
- ECD of, in three-dimensional quadrupole ion trap, 22
  - fragments of, LC-MS analysis of, 38
- Polypropylene glycol, multiple charging by binary mixtures of cations, in electrospray, 152
- Polypropylene tubes, MS interference from, identification of, 417, 802(erratum)
- Porous anodic alumina membrane, as sample support for MALDI-TOF MS of salt-containing proteins, 1488
- Post-translational analysis, qQq-FTICR mass spectrometer for, 1985
- Propofol, MS fragmentation of, 814
- Proteasome, 20S, ESI-MS and ion mobility analysis of, 998
- Protein(s)
- in brain structure, MALDI-MS of, 1093
  - charge reduction ESI-MS of, 1876
  - charge state distribution shifts of, in nanoESI triple quadrupole MS, 409
  - crystal structure of, and charge states of gaseous proteins in ESI, 1409
  - intact, MALDI-TOF-TOF of, 482
  - microsecond photochemical oxidation of, laser flash photolysis of hydrogen peroxide in, 2057
  - microwave-assisted acid hydrolysis of, LC MALDI MS/MS with, 471
  - modified, automated top-down LC-MS of, 2027
  - multiple forms of, kinetic characterization by top-down MS, 1052
  - post-translational analysis and top-down MS/MS of, qQq-FTICR mass spectrometer for, 1985
  - salt-containing, MALDI-TOF-MS of, porous anodic alumina membrane as sample support for, 1488
  - surface of, nanospray-related reactions at, 1325
- Protein complexes
- chemical cross-linking of, ESI-FTICR-MS and ESI-TOF-MS in, 1921
  - stability in solution and gas phase, nanoESI-FTICR MS of, 1957
- Protein-carbohydrate complexes, nonspecific, produced by nanoESI, BIRD of, 1583
- Protein-DNA binding affinity, evaluation by ESI-MS, 116
- Protein-ligand binding, hydrogen/deuterium exchange-MS study of, 869
- Proteome(s)
- complex, accurate mass and LC elution time utility for, 1239
  - low molecular weight, quantitative analysis in serum, 1221
- Proteomics
- analyzing stable isotope labeling data in, 1181
  - in heart tissue investigation, 1207
  - MS/MS in, MS2Grouper in, 1250
- Proton affinity, of  $\beta$ -oxalylaminoalanine, 1151
- Protonated trimers, charge-solvated vs salt bridge structures of, ion mobility spectroscopy of, 1009
- Proton-transfer ion trap mass spectrometry, of volatile organic compounds in air, 1316
- QqLIT instrument, AP and vacuum MALDI on, 176
- qQq Fourier transform ion cyclotron resonance (qQqFTICR) mass spectrometer, for post-translational analysis and top-down MS/MS of whole proteins, 1985
- Quadrupole ion trap
- initial fragmentation of oligodeoxynucleotides in, 1853
  - linear, ion excitation in, 835
  - three-dimensional, ECD of polypeptides in, 22
- Quadrupole ion trap mass spectrometry, tandem
- of cardiolipin, 491
  - of phosphatidylserine, ESI with, 1510
- Quadrupole mass filter, modulating voltages applied to, 379, 800(erratum)
- Quadrupole time-of-flight (Q-TOF) instrument, stable gradient nanoflow LC-MS on, 1545
- Quadrupole time-of-flight (Q-TOF) mass spectrometry, target compound verification by, mass measurement for, 406
- Reflectron time-of-flight (TOF) mass spectrometry, of hydrocarbon polymers, 2009
- Residue determination of compounds, by LC-MS/MS, 1619
- Resolving power, in complex MS/MS spectra, 183
- Retinoic acid-binding protein-1, cellular, hydrogen/deuterium exchange MS study of, 869
- Retinoid X receptor  $\alpha$  ligand binding domain, ligands with, ESI MS of, 1631
- Retro-Michael fragmentation reactions, in gas phase, of 2-hydroxybenzyl-N-pyrimidinylamine derivatives, 1552
- RNA, normal and chemically modified, AP MALDI-FTMS of, 199
- Saccharides
- derivatized, ESI and MALDI MS of, 683
  - sodiated isobaric, separation using ESI-APIM-TOF MS, 660
- Salt-containing proteins, MALDI-TOF-MS of, porous anodic alumina membrane as sample support for, 1488
- Saturn's moon (Titan), organic environment on, simulation by FT-ICR and ion trap MS, 850
- Secondary ion mass spectrometry (SIMS)
- polyelectrolytes as matrices for, 1575
  - under silver bombardment, 733
- Shiga toxin B subunits, stability in solution and gas phase, nanoESI-FTICR MS of, 1957
- Sialic acid synthase, ESI-MS characterization of, 324
- Silsesquioxanes, low molecular weight components of, ESI-FTMS of, 524
- Silver
- bombardment of
    - by energetic carbon and gallium ions, 1677  - SIMS under, 733
  - cationization of, for hydrocarbon MS, 437
- SO<sub>2</sub><sup>+</sup> electron transfer ion/ion reactions, with disulfide-linked peptides, 1020
- Sodiated isobaric saccharides, separation using ESI-APIM-TOF MS, 660
- Sodium dodecyl sulfate micelles, in MALDI-MS sample preparations, 1438
- Solid phase extraction, carbon nanotubes as adsorbent of, in MALDI MS, 263
- Solution composition, and organic molecule responsiveness to negative ion ESI MS, 446
- Solution phase chemistry, ion structural analog formation by, 607
- Solvent systems, microwave-assisted enzyme-catalyzed reactions in, 581
- Spiral ion trajectory, in new TOF mass spectrometer, 1969

- Spleen, tyrosine kinase of, conformational dynamics upon diphosphorylated ITAM binding to, 1039
- $S=P(OH)_2^{+/-}$ , ionic and neutral, generation and characterization in gas phase, 1353
- $\pi$ -Stacking interactions, in crown ether complex self-assembly detection by ESI-MS, 1162
- Sulfadiazine metabolites, structural characterization of, by hydrogen/deuterium exchange and MS/MS, 1687
- Surfactant, bacterial cell proteins treated with, MALDI-MS of, 1422
- Tandem mass spectrometry (MS/MS)  
in combined ion mobility and MS metallothionein investigations, 1787  
complex, mass uncertainty and resolving power in, 183  
hydrogen/deuterium exchange with, in sulfadiazine metabolite structural characterization, 1687  
improved mass accuracy for, 463  
isobaric monosaccharides distinguished by, 1827  
of metal-oligonucleotide complexes, 370, 799(erratum)  
methionine-containing peptide analysis by, 1131  
peptide identification by, increasing through automatic function switching optimization, 1818  
of phosphatidylserine, ESI with, 1510  
proteomic, MS2Grouper in, 1250  
quadrupole, of cardiolipin, 491  
ultrafiltration, of estrogens, 271
- Tandem mobility mass spectrometry, of electrosprayed tetraheptyl ammonium bromide clusters, 717
- t*-Boc group, elucidation using hydrogen/deuterium exchange HPLC/ESI/MS, 553
- Tetraheptyl ammonium bromide clusters, electrosprayed, tandem mobility MS of, 717
- meso*-Tetrakis(heptafluoropropyl)prophyrin, ESI-MS/MS of, 1915
- Thin layer chromatography matrix-assisted laser desorption/ionization orthogonal time-of-flight mass spectrometry, ganglioside analysis by, 1552
- Thioacylium ions, iso(thio)cyanate interactions with, 1602
- Thiourea, substituted *N* in, cyclization of, in gas phase and solution, 1739
- Threshold dissociation energy, of flavonoid transition metal complexes, 139
- Time-of-flight (TOF) bioaerosol mass spectrometry (BAMS), sensitivity and mass range of, 1866
- Time-of-flight (TOF) mass spectrometer, with spiral ion trajectory, 1969
- Time-of-flight (TOF) secondary ion mass spectrometry (SIMS), improvement with bismuth cluster ion source, 1608
- Top-down liquid chromatography mass spectrometry, automated, of modified proteins, 2027
- Top-down mass spectrometry, in kinetic characterization of multiple protein forms, 1052
- Top-down tandem mass spectrometry (MS/MS), qQq-FTICR mass spectrometer for, 1985
- Triacylglycerols, ESI-MS of, 1498
- Triiodothyronine, ESI-MS/MS detection and quantification of, 1781
- Trilinolenoylglycerol, calibration experiments of, chemometric approaches by LC-ion trap MA, 388, 801(erratum)
- Tripeptide radical cations, facile generation of, 763
- Trisaccharides, sodiated isobaric, separation using ESI-APIM-TOF MS, 660
- Tris(2,4,6-trimethoxyphenyl) phosphonium, hydrogen/deuterium exchange of, computational investigation of, 1067
- Tryptic peptides, field strength and separation of, by IM MS, 158
- Tyrosine kinase, of spleen, conformational dynamics upon diphosphorylated ITAM binding to, 1039
- Ubiquitin conformers, multidimensional separations of, in gas phase, 1427
- Ultra thin layer chromatography (UTLC) atmospheric pressure (AP) matrix-assisted laser desorption/ionization (MALDI) mass spectrometry, of small molecules, 906
- Urea, substituted *N* in, cyclization of, in gas phase and solution, 1739
- Urinary nucleosides, MALDI-TOF MS of, 940
- Vaccinia virus, class I HLA-A\*0201 peptide from, identification by mass FTICR MS/MS, 1812
- Vacuum matrix-assisted laser desorption/ionization (MALDI), on QqLIT instrument, 176
- Vacuum ultraviolet light, peptide ion fragmentation pathways induced by, 1384
- Volatile organic compounds, in air, PIT-MS detection and identification of, 1316
- Voltage  
applied to quadrupole mass filter, modulation of, 379, 800 (erratum)  
compensation, peak shapes of, using domed FAIMS, 948
- Waveforms, asymmetric, FAIMS for, 1447
- Yates, John, III, 1192
- Zinc fingers, of estrogen receptors, cysteine reactivity in, 2017
- ZoomQuant  
with ion trap mass spectrometer,  $^{18}O$  labeling on, quantification using, 916  
for stable isotope label quantitation, 302
- Zwitterion formation, in gas phase cyclodextrin complexes, 166